



(ANESTHESIA INSTRUCTIONS FOR YOUR PROCEDURE)

Please follow these instructions to help us provide the safest anesthesia possible for you or your family member.

DAY BEFORE THE PROCEDURE

- Make sure you have completed your packet checklist and remember to bring the packet with you.
- Please refrain from eating or drinking at least 8 hours prior to your arrival time.
 - o **Pediatric Patients Only:** Children may have small amounts (6 – 12 ounces total) of apple juice or other clear juices (no pulp or soda) up to 2 hours prior to their arrival time. It is perfectly safe for children to fast prior to anesthesia just like adults, they just might be a little more irritable.
- Unless your dentist/surgeon has asked you to avoid certain medications, please take all your prescribed medications on their normal schedule, including narcotics or anti-anxiety medications. Take them with as little water as possible.
 - o **Diabetic Patients Only:** Please do not take your regular insulin. You may take any of your oral medications. ***If you have an afternoon appointment,*** you may eat a liquid only breakfast at least 6 hours prior to your arrival time. If using injection to manage diabetes the patient needs to withhold injection 24 hours before surgery. If using injections for weight loss it will need to be held one week before surgery.
- Wear a loose fitting top, as we will need to place various monitors on your chest and side, and have access to your arms for the placement of an IV catheter. Also please bring a second set of clothing.

MORNING OF PROCEDURE

- Please brush your teeth thoroughly prior to your arrival, avoid swallowing anything.
- Make sure to bring your completed anesthesia packet with you.
- You must have a driver to take you to and from your appointment. You cannot drive for 24 hours following anesthesia. If you do not have someone to take you home, your procedure will be canceled.

If you fail to follow these instructions, your procedure may have to be postponed or cancelled. These guidelines are for your safety.

AFTER YOUR PROCEDURE

- You may be sleepy for the rest of the day. This is normal. Please make sure someone is with you for the next 24 hours.
- You can return to a normal diet, or the diet that has been indicated by your dentist/surgeon. We recommend you start with lighter foods, so you don't become nauseated after anesthesia.

We look forward to the opportunity of taking care of you or your family member. We pride ourselves in excellent patient care and satisfaction.

Thank you and we look forward to serving you.



LIFEGUARD

ANESTHESIA

SAFETY + COMFORT + ASSURANCE

CONSENT FOR ANESTHESIA SERVICES

I, _____, acknowledge that my doctor has explained to me that I will have an operation or procedure performed, and has explained the risks associated with this procedure. I also understand that anesthesia services are needed so that my doctor can perform this procedure.

It has been explained to me that all forms of anesthesia carry some risks and no guarantees or promises can be made concerning the result of my procedure. Although rare, unexpected *severe complications* with anesthesia can occur and include the remote possibility of *infection, bleeding, drug reactions, loss of sensation, paralysis, stroke, brain damage, heart attack, or death*. I understand these risks apply to all forms of anesthesia and that specific risks related to the type of anesthesia I will be receiving are explained further below. I will be receiving:

General Anesthesia	Expected Result	Total unconscious state, possible placement of a tube into the windpipe.
	Technique	Drug injected into the bloodstream, breathed into lungs, or by other routes.
	Risks	Mouth or throat pain, hoarseness, injury to mouth, damage to artificial or natural teeth, awareness under anesthesia, injury to blood vessels, aspiration, pneumonia.
Monitored Anesthesia Care With Sedation	Expected Result	Reduced anxiety and pain, partial or total amnesia.
	Technique	Drug injected into the bloodstream, producing a state of sedation.
	Risks	Inability of patient to maintain airway.
Procedural Sedation Directed by Proceduralist	Expected Result	Reduced anxiety and pain, partial or total amnesia.
	Technique	Drug injected into the bloodstream, producing a state of sedation.
	Risks	Inability of patient to maintain airway.

I hereby consent to the anesthesia service listed above and authorize that it be administered by the associates of LifeGuard Anesthesia Services Incorporated, all of whom are licensed and credentialed to provide anesthesia services in the state of Oklahoma and in this healthcare facility. I also consent to any alternative type of anesthesia, if necessary, as deemed appropriate by them.

I certify and acknowledge that I have read this form or had it read to me; that I understand the risks and expected results of the anesthesia service; and that I had ample time to ask questions and to consider my decision.

Patient's Signature or Authorized Rep.

Date and Time

Relationship to Patient

Witness Signature

_____, CRNA
Anesthesia Provider's Signature



LIFEGUARD

ANESTHESIA

SAFETY + COMFORT + ASSURANCE

- **Propofol** and **Ketamine** are short-acting hypnotic/sedatives. These drugs are administered to put you into a state of unconsciousness or sleep. The depth of this sleep varies based on the amount given by your anesthesia provider and the level required for your procedure. Some of the desired effects, and some rare side effects, are listed.

Desired effects can include:

- Sedation
- Amnesia
- Reduced anxiety
- Pain relief

Undesired effects can include:

- Drops in blood pressure or increases in blood pressure
- Slowed breathing
- Changes in heart rhythm or arrhythmias
- Seizures
- Increased salivation

- **Versed** is a short acting drug given to reduce anxiety, cause amnesia, and put the patient in a relaxed state. Some of the desired effects, and some rare side effects, are listed.

Desired effects can include:

- Drowsiness
- Reduced anxiety
- Amnesia

Undesired effects can include:

- Dizziness
- Nausea/Vomiting

- **Fentanyl** is a strong narcotic given to reduce or eliminate pain related to your procedure. Some of the desired effects, and some rare side effects, are listed.

Desired effects can include:

- Drowsiness
- Reduced pain
- Relaxation

Undesired effects can include:

- Slowed breathing
- Itching
- Nausea/Vomiting



LIFEGUARD
ANESTHESIA
SAFETY • COMFORT • ASSURANCE

(PRE-ANESTHESIA QUESTIONNAIRE)

Name: _____ Date of Birth: _____ Sex: ☐ M ☐ F Age: _____

Date of Procedure: _____ Office Name: _____ Ht: _____ Wt: _____

Best Phone Number to Call: _____ Primary Care Doctor, if any: _____

Allergies to Medications, Supplements, or Foods: ☐ No Known Allergies

Do you currently have or have you ever had:

Cardiovascular:

Yes No

- ☐ ☐ High Blood Pressure
☐ ☐ Peripheral vascular disease
☐ ☐ Atrial Fibrillation
☐ ☐ Heart Attack: when _____
☐ ☐ Chest pain/Angina – how often _____
If yes, how treated _____
☐ ☐ Murmur /history of Rheumatic fever
☐ ☐ Pacemaker or Implanted defibrillator
☐ ☐ History of Congestive Heart Failure

Respiratory:

- ☐ ☐ Asthma – last ER visit _____
☐ ☐ COPD
☐ ☐ Sleep Apnea/CPAP/BIPAP
☐ ☐ Shortness of breath
☐ ☐ Can you walk one flight of stairs without stopping?

- ☐ ☐ Hiatal Hernia
☐ ☐ Acid Reflex (GERD)
☐ ☐ Hepatitis
☐ ☐ Other GI/Liver problem _____

Musculoskeletal:

- ☐ ☐ Arthritis: Rheumatoid or Osteoarthritis
☐ ☐ Back or Neck pain
☐ ☐ Difficulty walking

Hematologic:

- ☐ ☐ HIV+
☐ ☐ Sickle cell – disease or trait
☐ ☐ Bleeding/Easy bruising
☐ ☐ Blood thinners
☐ ☐ History of blood clots

Genitourinary:

- ☐ ☐ Kidney Disease Dialysis:
☐ ☐ Hemo/peritoneal
(M T W TH F)

Neurological:

Yes No

- ☐ ☐ Stroke or TIA – when _____
☐ ☐ Paralysis – where _____
☐ ☐ Parkinson's Disease
☐ ☐ Epilepsy – last seizure _____
☐ ☐ Alzheimer's or Dementia
☐ ☐ Restless Leg Syndrome
☐ ☐ Other neurologic condition _____

Endocrine:

- ☐ ☐ Thyroid: ☐ Hyper or ☐ Hypo
☐ ☐ Diabetes –
☐ Insulin ☐ Pills ☐ Diet controlled

Weight Loss Injections:

- ☐ ☐ Injections used: ☐ Weight loss or ☐ Diabetes
☐ Mounjaro ☐ Semaglutide ☐ Ozempic
Date of last use _____

Females:

- ☐ ☐ Are you pregnant?
Last menstrual period _____
☐ ☐ Tubal Ligation or Hysterectomy

General:

- ☐ ☐ History of problems with Anesthesia
If yes, what? _____
☐ ☐ Mastectomy: ☐ Left ☐ Right
☐ ☐ Do you smoke – how long? _____
☐ ☐ Alcohol use
how much/often? _____
☐ ☐ Recreational Drug use
type and last use _____

Pediatric Patients Only:

- ☐ ☐ Is there someone who smokes in the home?
☐ ☐ Currently sick? (Cold, Flu, Allergies)
☐ ☐ Taking antibiotics? Date started _____
☐ ☐ Any family history of Malignant Hyperthermia?
Any other problems not previously mentioned?

Please fill out medication sheet and surgical history on the back of this page

MEDICATION AND SURGICAL HISTORY

[illegible]

Please include another sheet of paper if necessary

[illegible]